



Product name: Crop and Turf Mix

SECTION 1: Identification

Product identifier used on the label:

Product Name: Crop and Turf Mix.

Other means of identification:

Synonyms: None available
Product Code Number: 2CTOO0000K00, 2CTOO2000T00, 2CTOO2500B50.
SDS number: CC008US

Recommended use of the chemical and restrictions on use:

Recommended use: Fertilizer Micronutrient Additive.
Recommended restrictions: Not intended for human consumption.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Company Name: Cameron Chemicals, Inc.
Company Address: 830 Old Dill Road,
Suffolk, VA 23434
Company Telephone: (757) 934-2142
8.00am to 5.00pm

Company Contact Name Mark Whitfield
Company Contact Email mwhitfield@cameronchemicals.com

Emergency phone number: Chemtrec USA: 800-424-9300 (24hrs)

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

No physical hazards under GHS.

Health hazards

Skin irritation, Category 2.
Serious eye damage, Category 1.
Specific target organ toxicity - Single exposure, Category 3, Respiratory system.
Specific target organ toxicity - Repeated exposure, Category 2.

Environmental hazards

Not adopted under OSHA GHS

GHS Signal word: **DANGER.**

GHS Hazard statement(s): H315 - Causes skin irritation
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H373 - May cause damage to organs <Central Nervous System>
through prolonged or repeated exposure <<by inhalation>>

GHS Hazard symbol(s):



GHS Precautionary statement(s):

Prevention:

- Do not breathe dust/fume/gas/mist/ vapors/spray.
- Wash skin thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- If on skin: Wash with plenty of water.
- If inhaled: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor.
- Specific treatment (see sections 4 to 8 on this SDS and any additional information on this label).
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.

Storage:

- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.

Disposal:

- Dispose of contents/container to a suitable treatment site in accordance with local/regional/international regulations.

Hazard(s) not otherwise

Classified (HNOC): None known.

Percentage of ingredient(s) of unknown acute toxicity:

72% of the mixture consists of ingredients of unknown acute toxicity (oral).

81% of the mixture consists of ingredients of unknown acute toxicity (dermal/inhalation).

SECTION 3: Composition/information on ingredients

Mixture: Mixture of Borates, Oxides of Copper, Manganese, Zinc and Iron

Chemical name	CAS#	Concentration (weight %)
Iron Oxide	1309-37-1	25-35%
Zinc Oxide	1314-13-2	10-15%
Manganese Oxide	1344-43-0	10-15%
Iron Sulfate	7720-78-7	5-10%
Manganese Sulfate	7785-87-7	3-5%
Zinc Sulfate	7733-02-0	3-5%
Copper Oxide	7758-99-8	3-5%
Copper Sulfate	1305-78-8	3-5%
Calcium Oxide	1305-78-8	3-5%

Note: The balance of the ingredients are not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

SECTION 4: First-aid Measures

Description of necessary measures:

Inhalation: Remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain medical attention.

Skin contact: Wash with plenty of water. Seek medical attention if irritation persists.

Eye contact: Wash the eyes with running water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.

Ingestion: Rinse mouth and then drink plenty of water. Induce vomiting (lean victim forward to reduce risk of aspiration). Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Obtain medical attention.

Most important symptoms/effects, acute and delayed:

Eye and skin irritation may occur. Prolonged dermal exposure may cause skin irritation. Ingestion may cause stomach upset. Occasional mild irritation effects to the nose and throat may occur from inhalation. The pulmonary effects consisting of dyspnea, shallow respiration and fever which mimic metal fume fever. This product contains Manganese. Chronic exposure to heavy concentrations of manganese containing dust can cause central nervous system disorders.

Central Nervous System: Symptoms may appear after 1-2 years of elevated exposure. Stage 1 - subclinical, reversible. Indifference irritability, headache, anorexia, sleep disturbances, decreased libido, arthralgia, muscular spasm, diminished fine motor coordination, emotional and behavioral disorders called "manganic psychosis" are more frequently seen among miners at this stage. Higher incidence of respiratory infection and pneumonia is seen persons with a history of alcoholism, psychiatric, neurologic, or pulmonary diseases, liver dysfunction, or anemia.

Indication of immediate medical attention and special treatment needed, if necessary: If any symptoms are observed, contact a physician and give them this SDS sheet. Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Product is not combustible. Use dry chemical, carbon dioxide, or water extinguishers.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical:

Reacts with oxidizers such as H₂O₂, F₂, Ca(OCL)₂ and organic peroxides.

Special protective equipment and precautions for fire-fighters: Wear self-contained breathing apparatus and protective clothing. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Evacuate personnel to safe areas. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Methods and materials for containment and cleaning up:

Small Spills: Sweep up and try to keep dust to a minimum.

Large Spills: Sweep up and try to keep dust to a minimum.

Containment: Do not release into sewers or waterways.

See Section 13 for information on appropriate disposal.

SECTION 7: Handling and Storage

Precautions for safe handling: Use proper safety equipment at all times. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8). Wash hands before breaks and at the end of work. Clothing being used around chemicals should be cleaned daily.

Conditions for safe storage, including any incompatibles:

Store materials in a cool dry place away from strong oxidizers. Store only in the original container. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Iron Oxide	5 mg/m ³	None known
Zinc Oxide	5 mg/m ³	None known
Manganese Oxide	5 mg/m ³ (ceiling)	None known
Iron Sulfate	1 mg/m ³	None known
Manganese Sulfate	5 mg/m ³ (ceiling)	None known
Zinc Sulfate (Zinc compounds)	5 mg/m ³	None known
Copper Oxide	1 mg/m ³	None known
Copper Sulfate	1 mg/m ³	None known
Calcium Oxide	5 mg/m ³	None known

US ACGIH Threshold Limit Values			
Substance	TLV-TWA	TLV-STEL	REMARKS
Iron Oxide	5 mg/m ³	None known	Pneumoconiosis Not classifiable as a human carcinogen
Zinc Oxide	2 mg/m ³	10 mg/m ³	Metal fume fever

Manganese Oxide	0.2 mg/m ³	None known	Central Nervous System impairment
Iron Sulfate	1 mg/m ³	None known	Upper Respiratory Tract irritation Skin irritation
Manganese Sulfate	0.2 mg/m ³	None known	Central Nervous System impairment
Zinc Sulfate (Zinc compounds)	10 mg/m ³	None known	n/a
Copper Oxide (as Cu dusts)	1 mg/m ³	None known	n/a
Copper Sulfate (as Cu dusts)	1 mg/m ³	None known	n/a
Calcium Oxide	2 mg/m ³	None known	Upper Respiratory Tract irritation

US NIOSH NIOSH Recommended Exposure Limits		
Substance	TLV-TWA	TLV-STEL
Iron Oxide	5 mg/m ³	None known
Zinc Oxide	5 mg/m ³	10 mg/m ³
Manganese Oxide	1 mg/m ³	3 mg/m ³
Iron Sulfate	1 mg/m ³	None known
Manganese Sulfate	1 mg/m ³	3 mg/m ³
Zinc Sulfate	None known	None known
Copper Oxide	0.1 mg/m ³	None known
Copper Sulfate	1 mg/m ³	None known
Calcium Oxide	2 mg/m ³	None known

Appropriate engineering controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Skin and Hand protection: Wear protective gloves, boots, and aprons to prevent prolonged or repeated skin contact.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Other:

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Consider periodic medical exams of exposed workers with emphasis on skin, respiratory, and blood screening.

Thermal hazards: None established.

SECTION 9: Physical and chemical properties

Appearance (physical state, color, etc.):	Granular solid
Color:	Black / Gray
Odor:	No odor.
Odor threshold:	Not established
pH:	5 - 6 (1/100 dilution)
Melting point/freezing point:	No data available
Initial Boiling Point and boiling range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	Not flammable
Upper/lower flammability or explosive limits	
Flammability limit – lower (%):	No data available
Flammability limit – upper (%):	No data available
Explosive limit – lower (%):	No data available
Explosive limit – upper (%):	No data available
Vapor pressure:	No data available

Vapor density (air=1):	No data available
Relative density (water = 1):	1.1 – 1.5
Solubility(ies):	Partially Soluble
Partition coefficient	
n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Not established
Viscosity:	No data available
Density:	80lbs Cubic Foot

SECTION 10: Stability and Reactivity

Reactivity:	Stable.
Chemical stability:	This product is stable at room temperature in closed containers under normal storage and handling conditions.
Possibility of hazardous reactions:	Hazardous polymerization cannot occur.
Conditions to avoid:	Avoid moisture.
Incompatible materials:	Reacts with oxidizers such as H ₂ O ₂ , F ₂ , Ca(OCL) ₂ and organic peroxides.
Hazardous decomposition products:	None expected.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation:	Inhalation is the most significant route of exposure in occupational and other settings.
Ingestion:	An expected route of entry. Ingestion may cause stomach upset.
Skin:	An expected route of entry. May cause skin irritation.
Eyes:	Not a primary route of entry but may cause irritation.
Target Organ(s):	Eyes, Skin, Respiratory system, Central nervous system.

Symptoms related to the physical, chemical, and toxicological characteristics:

Occasional mild irritation effects to the nose and throat may occur from inhalation. The pulmonary effects consisting of dyspnea, shallow respiration and fever which mimic metal fume fever. Skin and eye irritation may occur. Stomach upset may occur.

Delayed and immediate effects and chronic effects from short or long-term exposure:

Central Nervous System: Symptoms may appear after 1-2 years of elevated exposure. Stage 1 – subclinical reversible. Indifference irritability, headache, anorexia, sleep disturbances, decreased libido, arthralgia, muscular spasm, diminished fine motor coordination, emotional and behavioral disorders called “manganic psychosis” are more frequently seen among miners at this stage.

Higher incidence of respiratory infection and pneumonia is seen in persons with a history of alcoholism, psychiatric, neurologic, or pulmonary diseases, liver dysfunction, or anemia.

Numerical measures of toxicity:

Acute toxicity estimates:

Ingredient Information:

Substance	Test Type (species)	Value
Iron Oxide	LD ₅₀ Oral (Rat)	No known data
	LD ₅₀ Dermal (Rat)	No known data
	LC ₅₀ Inhalation (Rat)	No known data
Zinc Oxide	LD ₅₀ Oral (Mouse)	7950 mg/kg
	LD ₅₀ Dermal (Rat)	No known data
	LC ₅₀ Inhalation (Mouse)	2500 mg/m ³
Manganese Oxide	LD ₅₀ Oral (Rat)	> 2000 mg/kg
	LD ₅₀ Dermal	No known data
	LC ₅₀ Inhalation (Rat)	> 5.35 mg/l
Iron Sulfate	LD ₅₀ Oral (Mouse)	1520 mg/kg
	LD ₅₀ Intraperitoneal (Mouse)	245 mg/kg
	LD ₅₀ Intravenous (Mouse)	51 mg/kg
Manganese Sulfate	LD ₅₀ Oral	No known data
	LD ₅₀ Dermal	No known data
	LC ₅₀ Inhalation	No known data
Zinc Sulfate	LD ₅₀ Oral (Rat)	No known data
	LD ₅₀ Dermal (Rat)	No known data
	LC ₅₀ Inhalation (Rat)	No known data
Copper Oxide	LD ₅₀ Oral (Rat)	> 2500 mg/kg
	LD ₅₀ Dermal (Rat)	> 2000 mg/kg
	LC ₅₀ Inhalation (Rat)	No known data
Copper Sulfate	LD ₅₀ Oral (Rat)	482 mg/kg
	LD ₅₀ Intraperitoneal (Rat)	20 mg/kg
	LD ₅₀ Subcutaneous (Rat)	43 mg/kg
	LD ₅₀ Intravenous (Rat)	48.9 mg/kg
Calcium Oxide	LD ₅₀ Oral	No known data
	LD ₅₀ Dermal	No known data
	LC ₅₀ Inhalation	No known data

Skin corrosion/irritation: May cause skin irritation.

Serious eye damage/eye irritation: May cause eye irritation.

Respiratory sensitization: No information available on the mixture, however none of the components have been classified as a respiratory

sensitizer (or are below the concentration threshold for classification).

Skin sensitization:

No information available on the mixture, however none of the components have been classified as a skin sensitizer (or are below the concentration threshold for classification).

Germ cell mutagenicity:

No information available on the mixture, however none of the components have been classified as causing germ cell mutagenicity (or are below the concentration threshold for classification).

Carcinogenicity:

No information available on the mixture, however none of the components are listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Reproductive toxicity:

No information available on the mixture, however none of the components have been classified as causing reproductive toxicity (or are below the concentration threshold for classification).

**Specific target organ toxicity-
Single exposure:**

No information available on the mixture, however Iron oxide and Calcium oxide are known to cause respiratory irritation.

**Specific target organ toxicity-
Repeat exposure:**

No information available on the mixture, however Manganese Sulfate is known to cause Central nervous system effects after repeated exposure.

Aspiration hazard:

No information available on the mixture, however none of the components have been classified as causing an aspiration hazard (or are below the concentration threshold for classification).

SECTION 12: Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Ingredient Information:

Substance	Test Type	Species	Value

Iron Oxide	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Zinc Oxide	LC ₅₀	Fish - <i>Oncorhynchus mykiss</i> (rainbow trout)	> 1.2 mg/l – 96h
	EC ₅₀	Invertebrate - <i>Daphnia magna</i> (Water flea)	> 4 mg/l – 48h
	EC ₅₀	Algae - <i>Desmodesmus subspicatus</i> (green algae)	> 1.3 mg/l - 72h
Manganese Oxide	LC ₅₀	Fish - <i>Oncorhynchus mykiss</i> (rainbow trout)	> 1.2 mg/l – 96h
	EC ₅₀	Invertebrate - <i>Daphnia magna</i> (Water flea)	> 4 mg/l – 48h
	EC ₅₀	Algae - <i>Desmodesmus subspicatus</i> (green algae)	> 1.3 mg/l - 72h
Iron Sulfate	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Manganese Sulfate	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Zinc Sulfate	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Copper Oxide	LC ₅₀	Fish - <i>Oncorhynchus mykiss</i> (rainbow trout)	0.19 - 0.21 mg/l - 96h
	EC ₅₀	Invertebrate - <i>Daphnia magna</i> (Water flea)	0.011 - 0.039 mg/l - 48h
	NOEC	Algae - - <i>Phaeodactylum tricornutum</i>	0.0057 mg/l - 72h
Copper Sulfate	LC ₅₀	Fish – Other fish	1 - 2.5 mg/l - 96h
	EC ₅₀	Invertebrate - <i>Daphnia magna</i> (Water flea)	0.024 mg/l - 48h
	EC ₅₀	Algae	No data available
Calcium Oxide	LC ₅₀	Fish - <i>Cyprinus carpio</i> (Carp)	1070 mg/l - 96 h
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available

Persistence and Degradability:

Bioaccumulative Potential:

Mobility in Soil:

Other adverse effects (such as hazardous to the ozone layer):

Not determined

This material is not expected to bioaccumulate.

Because it is insoluble, no soil absorption is expected.

No additional information available.

SECTION 13: Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Product - Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations. This product has been evaluated for RCRA characteristics and should not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc., may render the resulting materials hazardous.

Contaminated packaging - Contaminated packaging may contain residues of product. Dispose of in the same manner as product. Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal.

SECTION 14: Transport Information

Land transport DOT

UN number	UN 3077
UN proper shipping name	Environmentally hazardous substance, solid, N.O.S. (Manganese Sulfate, Zinc oxide, Zinc sulfate, Copper oxide, Copper sulfate)
Transport hazard class(es)	9
Packing group, if necessary	III

Maritime transport IMDG

UN number	UN 3077
UN proper shipping name	Environmentally hazardous substance, solid, N.O.S. (Manganese Sulfate, Zinc oxide, Zinc sulfate, Copper oxide, Copper sulfate)
Transport hazard class(es)	9
Packing group, if necessary	III

Air transport ICAO-TI and IATA-DGR

UN number	UN 3077
UN proper shipping name	Environmentally hazardous substance, solid, N.O.S. (Manganese Sulfate, Zinc oxide, Zinc sulfate, Copper oxide, Copper sulfate)
Transport hazard class(es)	9
Packing group, if necessary	III

Environmental hazards

Marine pollutant: Yes.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

No further relevant information available.

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None.

SECTION 15: Regulatory Information

Safety, health and environmental regulations specific for the product in question.

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. This product is hazardous under OSHA.

Toxic Substances Control Act (TSCA) – This substance is listed, as required, on the TSCA inventory.

SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): None

Section 311/312 (40 CFR 370):

Acute Health Hazard: Yes

Chronic Health Hazard: Yes

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

Section 313 Toxic Release Inventory (40 CFR 372): Manganese oxide, Manganese sulfate, Copper sulfate, Copper oxide, Zinc oxide and Zinc Sulfate are listed.

STATE REGULATIONS:

This SD'S contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986:

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right to Know: Zinc oxide, Zinc Sulfate, Iron Sulfate, Iron Oxide (as Diiron trioxide) Copper sulfate and Calcium oxide are listed on the Massachusetts Right to Know List.

New Jersey Right to Know: Manganese oxide, Manganese sulfate, Zinc oxide, Zinc Sulfate, Copper sulfate, Copper oxide, Iron Sulfate, Iron Oxide (as Diiron trioxide) and Calcium oxide are listed on the New Jersey Right to Know list.

Pennsylvania Right to Know: Manganese oxide, Manganese sulfate, Zinc oxide, Zinc Sulfate, Iron Sulfate, Iron Oxide (as Diiron trioxide), Copper sulfate, Copper oxide and Calcium oxide are listed on the Pennsylvania Right to Know List.

SECTION 16: Other information, including date of preparation or last revision

Revision Date: Oct 03, 2015

NFPA Rating

Health hazard: 1

Fire Hazard: 0

Reactivity Hazard: 0

This document is generated for the purpose of distributing health, safety, and environmental data. Information is correct to the best of our knowledge at the date of SDS publication. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE, OR DISPOSAL OF THIS PRODUCT. If the product is used as a component in another product, this SDS information may not be applicable.